

Recursion

Week 10

Gaddis:19.1-19.5

CS 5301
Fall 2014

Jill Seaman


1

What is recursion?

- Generally, when something contains a reference to itself
- Math: defining a function in terms of itself
- Computer science: when a function calls itself:

```
void message() {  
    cout << "This is a recursive function.\n";  
    message();  
}  
  
int main() {  
    message();  
}
```

What happens when this is executed?



2

How can a function call itself?

- Infinite Recursion:

This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
This is a recursive function.
...

3

Recursive message() modified

- How about this one?

```
void message(int n) {  
    if (n > 0) {  
        cout << "This is a recursive function.\n";  
        message(n-1);  
    }  
}  
  
int main() {  
    message(5);  
}
```

4

Tracing the calls

- 6 nested calls to message:

```
message(5):
  outputs "This is a recursive function"
  calls message(4):
    outputs "This is a recursive function"
    calls message(3):
      outputs "This is a recursive function"
      calls message(2):
        outputs "This is a recursive function"
        calls message(1):
          outputs "This is a recursive function"
          calls message(0):
            does nothing, just returns
```

- depth of recursion (#times it calls itself) = 5⁵

Why use recursion?

- It is true that recursion is never **required** to solve a problem
 - Any problem that can be solved with recursion can also be solved using iteration.
- Recursion requires extra overhead: function call + return mechanism uses extra resources

However:

- Some repetitive problems are more easily and naturally solved with recursion
 - the recursive solution is often shorter, more elegant, easier to read and debug.

6

How to write recursive functions

- Branching is required (If or switch)
- Find a base case
 - one (or more) values for which the result of the function is **known** (no repetition required to solve it)
 - no recursive call is allowed here
- Develop the recursive case
 - For a given argument (say n), assume the function works for a smaller value (n-1).
 - Use the result of calling the function on n-1 to form a solution for n

7

Recursive function example factorial

- Mathematical definition of n! (factorial of n)

```
if n=0 then    n! = 1
if n>0 then    n! = 1 x 2 x 3 x ... x n
```
- What is the base case?
 - n=0 (the result is 1)
- Recursive case: If we assume (n-1)! can be computed, how can we get n! from that?
 - $n! = n * (n-1)!$

8

Recursive function example

factorial

```
int factorial(int n) {
    if (n==0)
        return 1;
    else
        return n * factorial(n-1);
}

int main() {
    int number;
    cout << "Enter a number ";
    cin >> number;
    cout << "The factorial of " << number << " is "
         << factorial(number) << endl;
}
```

9

Tracing the calls

- Calls to factorial:

```
factorial(4):
  return 4 * factorial(3);    =4 * 6 = 24
  calls factorial(3):
    return 3 * factorial(2);  =3 * 2 = 6
    calls factorial(2):
      return 2 * factorial(1); =2 * 1 = 2
      calls factorial(1):
        return 1 * factorial(0); =1 * 1 = 1
        calls factorial(0):
          return 1;
```

- Every call except the last makes a recursive call
- Each call makes the argument smaller

10

Recursive functions over ints

- Many recursive functions (over integers) look like this:

```
type f(int n) {
    if (n==0)
        //do the base case
    else
        // ... f(n-1) ...
}
```

11

Recursive functions over lists

- You can write recursive functions over lists using the length of the list instead of n
 - base case: length=0 ==> empty list
 - recursive case: assume f works for list of length n-1, what is the answer for a list with one more element?
- We will do examples with:
 - arrays
 - strings
 - linked lists

12

Recursive function example

sum of the list

- Recursive function to compute sum of a list of numbers
- What is the base case?
 - length=0 (empty list) => sum = 0
- If we assume we can sum the first n-1 items in the list, how can we get the sum of the whole list from that?
 - sum (list) = sum (list[0]..list[n-2]) + list[n-1]

↑
Assume I am given the answer to this

13

Recursive function example

sum of a list (array)

```
int sum(int a[], int size) { //size is number of elems
    if (size==0)
        return 0;
    else
        return sum(a,size-1) + a[size-1];
}
```

↑
↑
 call sum on first n-1 elements The last element

For a list with size = 4: sum(a,4)

```
sum(a,3) + a[3] =
sum(a,2) + a[2] + a[3] =
sum(a,1) + a[1] + a[2] + a[3] =
sum(a,0) + a[0] + a[1] + a[2] + a[3] =
0 + a[0] + a[1] + a[2] + a[3]
```

14

Recursive function example

count character occurrences in a string

- Recursive function to count the number of times a specific character appears in a string
- We will use the string member function `substr` to make a smaller string
 - `str.substr (int pos, int length);`
 - `pos` is the starting position in `str`
 - `length` is the number of characters in the result

```
string x = "hello there";
cout << x.substr(3,5);
```

lo th

- char access: `x[1]` is the second element ('e')

Recursive function example

count character occurrences in a string

- This example is different from how the book does it.

```
int numChars(char target, string str) {
    if (str.empty()) {
        return 0;
    } else {
        int result = numChars(target, str.substr(1,str.size()-1));
        if (str[0]==target)
            return 1+result;
        else
            return result;
    }
}

int main() {
    string a = "hello";
    cout << a << " " << numChars('l',a) << endl;
}
```

16

Three required properties of recursive functions

- A Base case
 - a non-recursive branch of the function body.
 - must return the correct result for the base case
- Smaller caller
 - each recursive call must pass a smaller version of the current argument.
- Recursive case
 - assuming the recursive call works correctly, the code must produce the correct answer for the current argument.

17

Recursive function example greatest common divisor

- Greatest common divisor of two non-zero ints is the largest positive integer that divides the numbers evenly (without a remainder)
- This is a variant of Euclid's algorithm:
$$\text{gcd}(x, y) = y \quad \text{if } y \text{ divides } x \text{ evenly, otherwise:}$$
$$\text{gcd}(x, y) = \text{gcd}(y, \text{remainder of } x/y)$$
- It's a recursive definition
- If $x < y$, then $x \% y$ is x (so $\text{gcd}(x, y) = \text{gcd}(y, x)$)
- This moves the larger number to the first position.

18

Recursive function example greatest common divisor

- Code:

```
int gcd(int x, int y) {
    cout << "gcd called with " << x << " and " << y << endl;
    if (x % y == 0) {
        return y;
    } else {
        return gcd(y, x % y);
    }
}

int main() {
    cout << "GCD(9,1): " << gcd(9,1) << endl;
    cout << "GCD(1,9): " << gcd(1,9) << endl;
    cout << "GCD(9,2): " << gcd(9,2) << endl;
    cout << "GCD(70,25): " << gcd(70,25) << endl;
    cout << "GCD(25,70): " << gcd(25,70) << endl;
}
```

19

Recursive function example greatest common divisor

- Output:

```
gcd called with 9 and 1
GCD(9,1): 1
gcd called with 1 and 9
gcd called with 9 and 1
GCD(1,9): 1
gcd called with 9 and 2
gcd called with 2 and 1
GCD(9,2): 1
gcd called with 70 and 25
gcd called with 25 and 20
gcd called with 20 and 5
GCD(70,25): 5
gcd called with 25 and 70
gcd called with 70 and 25
gcd called with 25 and 20
gcd called with 20 and 5
GCD(25,70): 5
```

20

Recursive function example

Fibonacci numbers

- Series of Fibonacci numbers:

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144, ...

- Starts with 0, 1. Then each number is the sum of the two previous numbers

$$F_0 = 0$$

$$F_1 = 1$$

$$F_i = F_{i-1} + F_{i-2} \quad (\text{for } i > 1)$$

- It's a recursive definition

21

Recursive function example

Fibonacci numbers

- Code:

```
int fib(int x) {
    if (x<=1)        //takes care of 0 and 1
        return x;
    else
        return fib(x-1) + fib(x-2);
}

int main() {
    cout << "The first 13 fibonacci numbers: " << endl;
    for (int i=0; i<13; i++)
        cout << fib(i) << " ";
    cout << endl;
}
```

The first 13 fibonacci numbers: 0 1 1 2 3 5 8 13 21 34 55 89 144

22

Recursive function example

Fibonacci numbers

- Note: the recursive fibonacci functions works as written, but it is VERY inefficient.

- Counting the recursive calls to fib:

The first 40 fibonacci numbers:

fib (0)= 0 # of recursive calls to fib = 1

fib (1)= 1 # of recursive calls to fib = 1

fib (2)= 1 # of recursive calls to fib = 3

fib (3)= 2 # of recursive calls to fib = 5

fib (4)= 3 # of recursive calls to fib = 9

fib (5)= 5 # of recursive calls to fib = 15

fib (6)= 8 # of recursive calls to fib = 25

fib (7)= 13 # of recursive calls to fib = 41

fib (8)= 21 # of recursive calls to fib = 67

fib (9)= 34 # of recursive calls to fib = 109

...

fib (40)= 102,334,155 # of recursive calls to fib = 331,160,281

23

Recursive functions over linked lists

- Member functions of a linked list class can be defined recursively.

- These functions take a pointer to a node in the list as a parameter
- They compute the function for the list starting at the node p points to.

- The pattern:

- base case: empty list, when p is NULL
- recursive case: assume f works for list starting at p->next, what is the answer for the list starting at p? (it has one more element).

24

Recursive function example

count the number of nodes in a list

```
class NumberList
{
private:
    struct ListNode {
        double value;
        struct ListNode *next;
    };
    ListNode *head;
    int countNodes(ListNode *); //private version, recursive

public:
    NumberList();
    NumberList(const NumberList & src);
    ~NumberList();
    void appendNode(double);
    void insertNode(double);
    void deleteNode(double);
    void displayList();
    int countNodes(); //public version, calls private
};
```

25

Recursive function example

count the number of nodes in a list

```
// the private version, has a pointer parameter
// How many nodes are in the list starting at the pointer?
int NumberList::countNodes(ListNode *p) {
    if (p == NULL)
        return 0;
    else
        return 1 + countNodes(p->next);
}

// the public version, no arguments (Nodes are private)
// calls the recursive function starting at head
int NumberList::countNodes() {
    return countNodes(head);
}
```

Note that this function is overloaded

26

Recursive function example

display the node values in reverse order

```
// the private version, needs a pointer parameter
void NumberList::reverseDisplay(ListNode *p) {
    if (p == NULL) {
        //do nothing
    } else {
        //display the "rest" of the list in reverse order
        reverseDisplay(p->next);
        cout << p->value << " ";
    }
}

// the public version, no arguments
void NumberList::reverseDisplay() {
    reverseDisplay(head);
    cout << endl;
}
```

27

Recursive function example

calling the functions from main

```
int main() {
    NumberList list;
    for (int i=0; i<5; i++)
        list.insertNode(i);

    cout << "The number of nodes is " << list.countNodes()
         << endl;

    cout << "The values in reverse order are: ";
    list.reverseDisplay();
}
```

28