

Pointers to Structs and Objects, and the “this” pointer

Sections: 11.9, 13.3, & 14.5

CS 2308
Spring 2015

Jill Seaman

1

11.9: Pointers to Structures

- Given the following Structure:

```
struct Student {  
    string name;        // Student's name  
    int idNum;          // Student ID number  
    int creditHours;   // Credit hours enrolled  
    float gpa;         // Current GPA  
};
```

- We can define a pointer to a structure

```
Student s1 = {"Jane Doe", 12345, 15, 3.3};  
Student *studentPtr;  
studentPtr = &s1;
```

- Now studentPtr points to the s1 structure.

2

Pointers to Structures

- How to access a member through the pointer?

```
Student s1 = {"Jane Doe", 12345, 15, 3.3};  
Student *studentPtr;  
studentPtr = &s1;
```

```
cout << *studentPtr.name << end;    // ERROR
```

- dot operator has higher precedence than the dereferencing operator, so:

*studentPtr.name is equivalent to *(studentPtr.name)

studentPtr is not a structure!

- So this will work (dereferences pointer first):

```
cout << (*studentPtr).name << end;    // WORKS
```

3

structure pointer operator: ->

- Due to the “awkwardness” of the notation, C has provided an operator for dereferencing structure pointers:

studentPtr->name is equivalent to (*studentPtr).name

- The **structure pointer operator** is the hyphen (-) followed by the greater than (>), like an arrow.

- In summary:

s1.name // a member of structure s1

sptr->name // a member of the structure sptr points to

4

Structure Pointer: example

- Function to input a student, using a ptr to struct

```
void inputStudent(Student *s) {
    cout << "Enter Student name: ";
    getline(cin, s->name);

    cout << "Enter studentID: ";
    cin >> s->idNum;

    cout << "Enter credit hours: ";
    cin >> s->creditHours;

    cout << "Enter GPA: ";
    cin >> s->gpa;
}
```

Or you could use a reference parameter. I'm using a pointer to give an example of using the syntax.

- Call:

```
Student s1;
inputStudent(&s1);
cout << s1.name << endl;
...
```

5

Dynamically Allocating Structures

- Structures can be dynamically allocated with new:

```
Student *sptr;
sptr = new Student;

sptr->name = "Jane Doe";
sptr->idNum = 12345;
...
delete sptr;
```

- Arrays of structures can also be dynamically allocated:

```
Student *sptr;
sptr = new Student[100];
sptr[0].name = "John Deer";
...
delete [] sptr;
```

If a pointer points to an array, you can use square brackets with it, as if it were an array. Do not use -> here.

6

Structures and Pointers: syntax

- Expressions:

<code>s->m</code>	s is a structure pointer, m is a member
<code>*a.p</code>	a is a structure, p (a pointer) is a member. This is the value pointed to by p. Equivalent to <code>*(a.p)</code>
<code>(*s).m</code>	s is a structure pointer (a pointer to a structure), m is a member. Equivalent to <code>s->m</code>
<code>*s->p</code>	s is a structure pointer, and p (a pointer) is in the structure pointed to by s. Equiv to <code>*(s->p)</code> .
<code>*(*s). p</code>	s is a structure pointer, and p (a pointer) is in the structure pointed to by s. Equiv to <code>*(s->p)</code> .

7

in 13.3: Pointers to Objects

- We can define pointers to objects, just like pointers to structures

```
Time t1(12,20);
Time *timePtr;
timePtr = &t1;
```

- We can access public members of the object using the structure pointer operator (->)

```
timePtr->addMinute();
cout << timePtr->display() << endl;
```

```
Output:
12:21
```

8

Dynamically Allocating Objects

- Objects can be dynamically allocated with new:

```
Time *tptr;
tptr = new Time(12,20);
...
delete tptr;
```

You can pass arguments to a constructor using this syntax.

- Arrays of objects can also be dynamically allocated:

```
Time *tptr;
tptr = new Time[100];
tptr[0].addMinute();
...
delete [] tptr;
```

It can use only the default constructor to initialize the elements in the new array.

9

deleting Dynamically Allocated Objects

- Recall IntCell, with dynamically allocated member.

```
class IntCell
{
private:
    int *storedValue;
public:
    IntCell(int);
    ~IntCell();
    int read();
    void write(int);
};

IntCell::IntCell(int val) {
    storedValue = new int;
    *storedValue = val;
}

IntCell::~IntCell() {
    delete storedValue;
}
```

10

deleting Dynamically Allocated Objects

When is the storedValue deallocated?

<pre>#include "IntCell.h" int main() { IntCell ic(5); cout << ic.read() << endl; //... return 0; }</pre>	<pre>#include "IntCell.h" int main() { IntCell *icptr; icptr = new IntCell(5); cout << icptr->read() << endl; delete icptr; //... return 0; }</pre>
<p>ic.~IntCell() is called here, which deletes (deallocates) ic.storedValue. Then ic is destroyed.</p>	<p>This calls icptr->~IntCell() first, which deletes (deallocates) icptr->storedValue! Then it deallocates icptr.</p>

in 14.5 The this pointer

- this: a predefined pointer available to a class's member function definitions
- this always points to the instance (object) of the class whose function is being executed.
- Use this to access member vars that may be hidden by parameters with the same name:

```
Time::Time(int hour, int minute) {
    // Time *this; (implicit decl)

    this->hour = hour;
    this->minute = minute;
}
```

12

this: an object can return itself

- Often, an object will return itself as the result of a binary operation, like assignment:

`v1 = v2 = x;` is equivalent to `v1 = (v2 = x);`

- because associativity of `=` is right to left.
- But what is the result of `(v2 = x)`?
- It is the left-hand operand, `v2`.

`v1 = v2 = x;` is equivalent to `v2 = x;`
`v1 = v2;`

13

Returning *this

```
class Time {
private:
    int hour, minute;
public:
    Time operator= (Time);
};

Time Time::operator= (Time right) {
    hour = right.hour;
    minute = right.minute;
    return *this;
}

Time time1, time2, time3(2,25);
time1 = time2 = time3;
cout << time1.display() << " "
    << time2.display() << " "
    << time3.display() << endl;
```

Note that this is a pointer,
so it must be dereferenced
to get the Time object.

Output:
2:25 2:25 2:25

14