Object-Oriented Software Development: Requirements elicitation (ch. 4) and analysis (ch. 5)

CS 4354 Summer II 2015

Jill Seaman

Object-oriented analysis, design, implementation

- **Object-oriented analysis**: finding and describing the objects (or concepts) in the problem domain.
- **Object-oriented design**: defining software objects and how they collaborate to fulfill the requirements.
- **Object-oriented implementation**: implementing the designs in an object-oriented language such as Java or C++.

Progress Report

- So far we have learned about the tools used in object-oriented design and implementation
 - +Java programming language
 - ◆UML Models
- Next we will learn how to use them in the Object-oriented software development process.
 - How to analyze a problem, design a solution using models, and implement it as a Java program.

2

4

Object-oriented software development

- During **requirements elicitation**, the client and developers define the purpose (functionality) of the system. (Develop use cases)
- During **analysis**, developers aim to produce an application domain model that is correct, complete, consistent, and unambiguous.
- During **system design**, developers define the design goals of the project and decompose the system into smaller subsystems.
- During **object design**, developers define solution domain objects to bridge the gap between the analysis model and the hardware/ software platform defined during system design.
- During **implementation**, developers translate the solution domain model into source code.
- During **testing**, developers find differences between the system and its models by executing the system with sample input data.

A note about analysis and design

- Analysis and (especially) Design are creative processes.
- There is no formulaic process for them.
- A creative process is a series of decisions to be made, rather than a sequence of activities.
- In order to be successful, you need to know what decisions need to be made. You need to know what questions to ask.
- Some answers will be better than others. Determining which ones are best depends on experience and a clear understanding of the problem(s).

Ch 4: Requirements Elicitation

- During <u>requirements elicitation</u>, the client and developers define the purpose of the system.
- The result of this phase is a Requirements Specification.
 - Written in natural language
- The Requirements Specification contains
 - Nonfunctional Requirements
 - +Functional Requirements (or Functional Model)
 - In object oriented development, this will be represented by use cases and scenarios

6

8

Requirements Elicitation Activities

- Identifying actors.
- · Identifying scenarios (specific stories).
- · Identifying use cases (generalized interactions).
- · Refining use cases.
- · Identifying relationships among use cases.
- (Identifying nonfunctional requirements).

Note: the book has good examples for each of these activities

Identifying actors

- · Identifying actors:
 - ◆all external entities that interact with the system
 - humans (roles) or systems (software, databases)
 - ✦defines system boundaries
 - +defines perspectives from which analysts need to consider the system

Questions for identifying actors:

- Which user groups are supported by the system to perform their work?
- Which user groups execute the system's main functions?
- Which user groups perform secondary functions (maintenance/admin)?
- With what external hardware of software system will the system interact?

Identifying scenarios

- · Identifying scenarios:
 - ♦a narrative description of what people do and experience as they try to make use of the system
 - ◆a specific instance of concrete events
 - +understandable to users and customers

Questions for identifying scenarios:

- What are the tasks that the actor wants the system to perform?What information does the actor access? Who creates that data? Can it
- be modified or removed? by whom?
- Which external changes does the actor need to inform the system about?
- Which events does the system need to inform the actor about?

Refining use cases, Identifying relationships among use cases, actors

- Refining use cases:
 - Rewriting, adding missing cases, dropping unneeded ones
 - Add more details, constraints
 - Describe exceptional cases
 - ✦Factor out common functionality
- · Identifying relationships:
 - +start drawing use case diagrams with actors/ellipses for use cases
 - +use different kinds of relationships: inheritance, extend, include
 - For each actor involved in a use case, indicate if that actor initiates or participates in the interaction.

Identifying use cases

- Identifying use cases:
 - +specifies all possible scenarios for a given piece of functionality
 - +generalizes scenarios, describes a flow of events
 - ✦attach to the initiating actor

Guidelines for writing use cases:

- Name with a verb phrase (ReportEmergency).
- Steps in the flow of events should be phrased in the active voice, so it is clear who does what.
- The boundary should be clear, what the system does, what actors do.
- Causal relationship between successive steps should be clear.

10

Chapter 5: Analysis Products of Requirements Elicitation and Analysis

Products of Requirements Elicitation

- Requirements specification:
 - nonfunctional requirements
 - functional model (functional requirements)
 - represented by use cases and scenarios

Products of Analysis

Analysis model:

Understood by developers

Understood by users/customer

+functional model (use cases developed in requirements elicitation)

- analysis object model (class diagram of domain concepts)
- **+dynamic model** (state machine and sequence diagrams)

Analysis Activities: From Use Cases to Objects

 Mapping Use Cases to Objects with Sequence Diagrams Modeling State-Dependent Behavior of Individual Objects Reviewing the Analysis Model 	 as objects are found, record their names, attributes, and responsibilities use names used by the user/customer/domain specialists Heuristics for identifying entity objects Terms that developers or users need to clarify in order to understand the use case. Recurring nouns in the use case. Real-world entities that the system needs to track. Real-world activities that the system needs to track. Data sources or sinks (e.g., Printer, Database)
Identifying boundary objects Boundary objects represent the interface between the actors and	Identifying control objects Control objects are in charge of realizing use cases.
Boundary objects represent the interface between the actors and the system.	 Control objects are in charge of realizing use cases. ChangeDateControl represents activity of changing the date by pressin
 Boundary objects represent the interface between the actors and the system. Button, LCDDisplay, forms, error messages, window 	 Control objects are in charge of realizing use cases. ChangeDateControl represents activity of changing the date by pressin combinations of buttons
 Boundary objects represent the interface between the actors and the system. Button, LCDDisplay, forms, error messages, window Identifying boundary objects 	 Control objects are in charge of realizing use cases. ChangeDateControl represents activity of changing the date by pressin combinations of buttons Identifying control objects
 Boundary objects represent the interface between the actors and the system. Button, LCDDisplay, forms, error messages, window Identifying boundary objects in each use case, each actor interacts with at least one boundary object 	 Control objects are in charge of realizing use cases. ChangeDateControl represents activity of changing the date by pressin combinations of buttons Identifying control objects coordinate boundary and entity objects
 Boundary objects represent the interface between the actors and the system. Button, LCDDisplay, forms, error messages, window Identifying boundary objects 	 Control objects are in charge of realizing use cases. ChangeDateControl represents activity of changing the date by pressin combinations of buttons Identifying control objects

Identifying entity objects

or the extent of a user session.

- Notices and messages the system uses to respond to the user
 Do not model the visual details of the user interface with boundary objects

Identifying attributes

- Attributes:
 - properties of individual objects
 - note names and data types of each
 - properties represented by objects are NOT attributes (ie Address)

Heuristics for identifying attributes

• Examine possessive phrases (_____ of <an object>)

• Represent stored state as an attribute of the entity object.

Describe each attribute.

• Do not waste time describing fine details before the object structure is stable.

17

Identifying aggregates, Identifying Inheritance

- Aggregations:
 - denote whole-part relationships
 - composition, special case of aggregation, when the existence of the parts depend on the existence of the whole.
- Inheritance:
 - Generalization is used to eliminate redundancy from the analysis model. (put shared attributes and behavior in superclass).

Identifying associations

Associations:

+show relationship between two or more classes

name, multiplicity, roles

Heuristics for identifying associations

- Examine verb phrases.
- Name associations and roles precisely.
- Eliminate any association that can be derived from other associations.
- Do not worry about multiplicity until the set of associations is stable.
- Too many associations make a model unreadable.

20


Mapping use cases to objects with sequence diagrams

- Sequence diagrams
 - show how behavior of a use case is distributed among participating objects
 - ◆allow developers to find missing objects and clarify behavior
 - *assigns responsibilities to each object as a set of operations (identifies the operations: See GRASP lecture!!)

Heuristics for drawing sequence diagrams

- The first column should correspond to the actor who initiated the use case.
 The second column should be a boundary object (that the actor used to
- initiate the use case).
- The third column should be the control object that manages the rest of the use case.
- Control objects are created by boundary objects initiating use cases.
- Secondary boundary objects are created by control objects.
- Entity objects are accessed by control and boundary objects.

Sequence diagram for ReportEmergency use case



Modeling State-Dependent Behavior of Individual Objects

• State machine diagrams:

♦represent behavior of the system from the perspective of a single object.

helps identify missing use cases, new behavior

+not necessary to build for each object in model (often for control objects).

Reviewing the Analysis model

- Analysis model is built incrementally and iteratively.
- Reviewed by developers, then jointly with the customer.
- Certain questions should be asked to ensure the model is correct, complete, consistent, realistic.
 - Are all entity objects understandable to the user?
 - For each object: Is it needed by some use case? In which use case is it created? modified? destroyed?
 - Are there multiple classes with the same name?
 - Are there any novel features in the system, that the developers have never experienced before?