

Introduction to the Java programming language

CS 4354
Summer II 2015

Jill Seaman

1

Free Java textbook available online

- "Thinking in Java" by Bruce Eckel, 4th edition, 2006, ISBN 0131872486, Pearson Education
- The third edition is a free electronic book:
<http://www.mindview.net/Books/TIJ/>
- The fourth edition is much more up to date.

2

A simple java program

Welcome.java

```
//This program prints Welcome to Java!  
  
public class Welcome {  
    public static void main(String[] args) {  
        System.out.println("Welcome to Java!");  
    }  
}
```

3

Compilation

- To compile the program enter at the prompt (Unix or Dos):

```
javac Welcome.java
```
- ◆ javac is the java compiler
- ◆ If successful, this command creates the file Welcome.class in the same directory
- ◆ Welcome.class contains platform-independent bytecode
- ◆ bytecode is interpreted (executed) by a Java Virtual Machine (JVM), and will run on a JVM installed on **any** platform
- ◆ The program does NOT need to be recompiled to run on another platform.

4

Execution

- To run the program enter at the prompt (Unix or Dos):

```
workspace jill$ java Welcome
Welcome to Java!
workspace jill$
```

- ◆ This runs the java bytecode on a Java Virtual Machine.
- ◆ The java tool launches a Java application. It does this by starting a Java runtime environment, loading a specified class, and invoking that class's **main** method.
- ◆ The main method must be declared public and static, it must not return any value, and it must accept a String array as a parameter.

5

Java Platform

- a bundle of related programs that allow for developing and running programs written in the Java programming language
- two distributions:
 - ◆ Java Runtime Environment (JRE) contains the part of the Java platform required to run Java programs (the JVM)
 - ◆ Java Development Kit (JDK) is for developers and includes development tools such as the Java compiler, Javadoc, Jar, and a debugger.

6

Editions of Java

- Different editions of java target different application environments
 - ◆ Java Card for smartcards.
 - ◆ Java Platform, Micro Edition (Java ME) — targeting environments with limited resources.
 - ◆ Java Platform, Standard Edition (Java SE) — targeting workstation environments.
 - ◆ Java Platform, Enterprise Edition (Java EE) — targeting large distributed enterprise or Internet environments.
- Each edition offers slightly different libraries (APIs) suited for the given environment.
- API: Application Programming Interface: the specification of the interface.

7

Releases of Java

- Different releases of Java
 - ◆ JDK 1.0 (1996) Codename: Oak
 - ◆ JDK 1.1 (1997)
 - ◆ J2SE 1.2 (1998)
 - ◆ J2SE 1.3 (2000)
 - ◆ J2SE 1.4 (2002)
 - ◆ J2SE 5.0 (2004) (1.5)
 - ◆ Java SE 6 (2006) (1.6)
 - ◆ Java SE 7 (2011) (1.7)
 - ◆ Java SE 8 (2014) (1.8) (I have this one)

8

Principles

- There were five primary goals in the creation of the Java language:
 - ◆ It should be "simple, object-oriented and familiar"
 - ◆ It should be "robust and secure"
 - ◆ It should be "architecture-neutral and portable"
 - ◆ It should execute with "high performance"
 - ◆ It should be "interpreted, threaded, and dynamic"

9

Features

- Interesting features of Java
 - ◆ Object-oriented: everything is an object
 - ◆ Inheritance
 - ◆ Polymorphism: can use a subclass object in place of the superclass
 - ◆ Garbage collection (dynamic memory allocation)
 - ◆ Exception handling: built-in error handling
 - ◆ Concurrency: built-in multi-threading
 - ◆ Persistence: support for saving objects' state between executions
 - ◆ Platform independence: supports web programming

10

Characteristics of Pure object-oriented programming

- Everything is an object.
 - ◆ attributes + operations
- A program is a bunch of objects telling each other what to do by sending messages
 - ◆ a message as a request to call a method that belongs to a particular object
- Each object has its own memory made up of other objects.
 - ◆ this is how to represent complex systems
- Every object has a type.
 - ◆ its type is a class, the class specifies the methods of the object
- All objects of a particular type can receive the same messages.
 - ◆ Even the instances of the subclasses

11

All objects in Java are really references

- Everything is treated as an object, using a single consistent syntax.
- However, the identifier you manipulate is actually a "reference" to an object

```
String s; //this is just a ref, a pointer
```

- Safer to initialize a reference when you create it:

```
String s = "asdf";
```

- Usually you use "new" to create new objects:

```
String s = new String("asdf");
```

- Note: references are on the run-time stack, objects are in heap.

12

Special case: primitive types

- These are NOT references, not objects
- They are stored on the run-time stack
- Size is not machine-dependent, always the same

Primitive type	Size	Minimum	Maximum	Wrapper type
boolean	—	—	—	Boolean
char	16-bit	Unicode 0	Unicode 2 ¹⁶ -1	Character
byte	8-bit	-128	+127	Byte
short	16-bit	-2 ¹⁵	+2 ¹⁵ -1	Short
int	32-bit	-2 ³¹	+2 ³¹ -1	Integer
long	64-bit	-2 ⁶³	+2 ⁶³ -1	Long
float	32-bit	IEEE754	IEEE754	Float
double	64-bit	IEEE754	IEEE754	Double
void	—	—	—	Void

Wrapper: object that contains the primitive

```
char c = 'x';
Character C =
new Character(c);
```

13

Classes in Java, fields

- A Class defines a type with fields (data) and methods (operations)
- Fields can be objects or primitives

```
class ClassA {
    int i;
    Weeble w;
}
```

- Can create an object of this class using new:

```
ClassA a = new ClassA();
```

- Fields are accessible using dot operator

```
a.i = 11;
a.w = new Weeble();
```

14

Default values for fields

- If you provide no explicit initialization to instance variables, they will be assigned the following default initial values

Type	Default Value
boolean	false
byte	(byte) 0
short	(short) 0
int	0
long	0L
char	\u0000
float	0.0f
double	0.0d
object reference	null

- These apply to fields (and array elements), not to local variables.

15

Classes in Java, methods

- Methods in Java determine the messages an object can receive.
- They are functions that the object can execute on itself
- Syntax is very similar to C++

```
class ClassA {
    int i;
    Weeble w;
    int mult (int j) {
        return i*j;
    }
}
```

- Methods are accessible using dot operator

```
ClassA a = new ClassA();
a.i = 10;
int x = a.mult(4);
```

16

Arrays in Java

- An array is ALWAYS initialized to default values (see slide 16)
 - ◆cannot access uninitialized elements by mistake
- Arrays have bounds checking
 - ◆unable to access memory outside its block (using the array): runtime error
- This is to enforce safety (though it requires overhead)
- Arrays are objects, contain primitives or references to objects
 - ◆member **length** returns size of array
 - ◆can access elements using [x]

```
Weeble[] c = new Weeble[4];
for(int i = 0; i < c.length; i++)
    if(c[i] == null) // test for null reference
        c[i] = new Weeble();
```

17

ArrayList class

- Must specify the element types (base type) when declaring:

```
ArrayList<String> list = new ArrayList<String>(20);
```

 - ◆20 is the initial capacity
 - ◆The base type must be a class (NOT primitive type).
- Basic methods:
 - ◆add(BaseType x) Appends the specified element to the end of this list. Starts at position 0, increases capacity as necessary.
 - ◆get(int i) Returns the element at the specified position in this list.
 - ◆size() Returns the number of elements in this list (not the capacity).
 - ◆remove(int i) Removes the element at the specified position in this list, and closes the gap.

18

array vs. ArrayList

- array elements can be any type, ArrayList must contain objects.
- ArrayList can increase in size as needed (array size cannot be changed).
- ArrayList implements a “partially filled array” automatically. For an array, you must manage the size and implement “add” and “remove” operations yourself.
- ArrayList can be iterated over using a “for-each” loop:

```
ArrayList<String> list = new ArrayList<String>(20);
//Some code here to fill the list
for (String s : list)
    System.out.println(s); //does this for each String in list
```

◆General syntax is: for (BaseType var : arrayList) stmt

19

Accessing classes from libraries

- In Java libraries, elements are grouped into packages
- Packages have dotted path names (like internet domains)
- To use a class from a package, import the qualified class name:

```
import java.util.ArrayList;
```

- Or import the entire package:

```
import java.util.*;
```

20

Java library documentation

- Online documentation for Java 1.8 API
<http://docs.oracle.com/javase/8/docs/api/>
- java.lang is always implicitly loaded
 - ◆ System class, contains out field (a static `PrintStream`)
 - ◆ `PrintStream` has overloaded `println` methods
- Look for `Date` in the online documentation
 - ◆ `java.util.Date`
 - ◆ shows constructor and other methods in documentation

21

static keyword

- When a field or method is declared static, it means that data or method is not tied to any particular object instance of that class
- Instances of the class share the same static fields
- Static methods may not access non-static fields

```
class StaticFun {
    static i = 11;
    static void incr () { i++; }
}
```

- Static fields and methods may be accessed without instantiating any objects by using the class name, or from an existing object.

```
StaticFun.i = 100;
StaticFun sf = new StaticFun();
sf.incr();
```

22

A Java program

```
// HelloDate.java
import java.util.*;

public class HelloDate {
    public static void main(String[] args) {
        System.out.println("Hello, it's: ");
        System.out.println(new Date());
    }
}
```

- Standalone program: one class must have same name as file. that class must have a main method with signature as above.
- args are for command line arguments.
- public means method is available outside the file
- comments: `/* ... */` or `//...to end of line`

23

Javadoc

- javadoc: a tool to extract comments embedded in source code and put them in a useful form:
 - ◆ HTML files, viewable from a browser.
 - ◆ Can regenerate the HTML files whenever the comments/code change.
- Uses a special comment syntax to mark the documentation inside the source code
- javadoc also pulls out the class name or method name that adjoins the comment(s).
- html files are similar to the online Java API documentation.
- Purpose is to document the public **interface**: the class names and public methods.

24

Javadoc syntax

- The javadoc commands occur only within `/** ... */` comments
 - ◆Note the initial double asterisks.
- Each javadoc comment must precede the class definition, instance variable definition or method definition that it is documenting.

```
/** A class comment */
public class DocTest {
    /** A variable comment */
    public int i;
    /** A method comment */
    public void f() {}
}
```

- The javadoc comments may contain the following:
 - ◆embedded html code, especially for lists and formatting code snippets
 - ◆“doc tags”: special keywords that begin with @ that have special meaning to the javadoc tool.

25

Javadoc tags

- This table summarizes the more commonly used tags.

TAG	USED WHERE	PURPOSE
@author <i>name</i>	Interface and Classes	Indicates the author of the code.
@since <i>version</i>	Interfaces and Classes	Indicates the version item was introduced.
@version <i>description</i>	Interfaces and Classes	Indicates the version of the source code.
@deprecated	Interfaces, Classes and Methods	Indicates a deprecated API item.
@param <i>name</i> <i>description</i>	Methods	Indicates the method's parameters.
@return <i>description</i>	Methods	Indicates the method's return value.
@throws <i>name</i> <i>description</i>	Methods	Indicates exceptions the method throws.
@see <i>Classname</i>	All	Indicates additional class to see.
@see <i>Classname#member</i>	All	Indicates additional member to see.

26

```
/**
 * A Container is an object that contains other objects.
 * @author Trevor Miller
 * @version 1.2
 * @since 0.3
 */
public abstract class Container {
    /**
     * Create an empty container.
     */
    protected Container() {}
    /**
     * Return the number of elements contained in this container.
     * @return The number of objects contained
     */
    public abstract int count();
    /**
     * Accept the given visitor to visit all objects contained.
     * @param visitor The visitor to accept
     */
    public abstract void accept(final Visitor visitor);
    /**
     * Determine whether this container is empty or not.
     * @return <CODE>true</CODE> if the container is empty:
     * <CODE>count == 0</CODE>, <CODE>>false</CODE> otherwise
     */
    public boolean isEmpty() {
        return (this.count() == 0);
    }
}
```

27

Javadoc: generating the html files

- Use the javadoc command (from the JDK) to produce the html files:

```
javadoc -d api Container.java
```

- The -d option indicates a target directory for the html files
- Generates multiple .html files
- click on api/Container.html to see the result.

- For more details on javadoc, follow the javadoc links on the class website “readings” page:

<http://cs.txstate.edu/~js236/cs4354/readings.html>

28

Operators in Java

- Mathematical operators, same as C++

```
+ - * / %  
++ --  
+= -= *= /= %=
```

◆ integer division truncates, like C++

- Relational operators yield boolean result (not int)

```
< > <= >= == !=
```

◆ == over objects tests the value of the reference (the pointers)

- Logical operators

```
&& || !
```

- String + is concatenation:

```
"abc" + "def"
```

this yields a new String object:

```
"abcdef"
```

29

Assignment in Java

- Assignment in Java is like in C++

◆ For primitive types, values are copied

```
int a;  
a = 10;
```

◆ For objects, the reference is copied so both variables refer to the same object.

```
Weeble b = new Weeble();  
Weeble a;  
a = b; // a and b refer to same Weeble object
```

◆ changes to a will also affect b

- Objects are passed by reference by default

30

Control flow in Java (same as C++)

- if-else

```
if( Boolean-expression )  
    statement  
else  
    statement
```

```
if( Boolean-expression )  
    statement
```

- while, do-while, and for

```
while( Boolean-expression )  
    statement
```

```
do  
    statement  
while( Boolean-expression );
```

```
for( initialization; Boolean-expression; step )  
    statement
```

- break and continue (also with labels)
- switch statement like C++

31

String

- The String class represents character strings.
- All string literals in Java programs, such as "abc", are implemented as instances of this class.
- Methods (many more available):

◆ length() Returns the length of this string.

◆ charAt(int i) Returns the char value at the specified index (but this cannot appear on the left of an assignment, you cannot change the string).

◆ + for string concatenation

```
String str = "abc";  
for (int i=0; i<str.length(); i++)  
    System.out.println(str.charAt(i));  
System.out.println(str+"def");
```

32

toString

- toString is a method that is defined by default for every class

```
public String toString();
```

- The String value returned should represent the data in the object.
- This makes it easy to output an object to the screen. The following are generally equivalent:

```
System.out.println(w);      System.out.println(w.toString());
```

- You can override the default definition by redefining toString for your class.

```
class ClassA {
    private int i;
    private double x;
    public String toString() {
        return ("i: "+i+" x: "+x);
    }
}
```

33

Constructors

- Like C++:
 - ✦ classes can have constructor functions to initialize their fields.
 - ✦ these are named the same as the class, they have no return type, and can be overloaded.
 - ✦ they are called automatically (primarily when “new” is used to create an instance of a class).
 - ✦ if you don’t create one for your class, a default (no-arg) constructor is created for you (initializes fields to default values).
- Unlike C++:
 - ✦ you can call a constructor from within another constructor (see next slide)

34

this

- The this keyword—which can be used only inside a method—produces a reference to the object the method has been called on.

- ✦ in Java it’s a reference, not a pointer

```
class ClassA {
    int i;
    void seti(int i) {
        this.i = i;
    }
}
```

```
ClassA x = new ClassA();
x.seti(10);
//inside seti, “this” is equal to x
```

- It can also be used to call a constructor from another constructor (Unlike C++):

```
class ClassA {
    int i;
    ClassA(int i)
    { this.i = i; }
    ClassA()
    { this(0); } // calls ClassA(0)
}
```

35

Packages

- Classes can be grouped into packages:

```
package myPackage;

import ....

public class SmallBrain { ....
```

- ✦ Declares these classes to belong to a package called “myPackage”
- ✦ package statement must come first in the file.
- ✦ Other classes (outside of myPackage) wanting access to SmallBrain must import myPackage, or fully specify it: myPackage.SmallBrain.
- ✦ This is a mechanism to manage name spaces: this code will work with another package that has its own SmallBrain class.
- ✦ Anytime you create a package, you implicitly specify a directory structure: this file should be in a directory named “myPackage”

36

Packages: example

- To put your classes in a package called `xx.myPackage`:

- ◆ Declare the package on the first line of each java file

```
package xx.myPackage;

import ....

public class SmallBrain { ....
```

- ◆ Put all the files in package `xx.myPackage` in the following directory:
`...src/xx/myPackage`

- ◆ Make `src` the current directory: `cd ...src`

- ◆ To compile: `javac xx/myPackage/*.java`

- ◆ To run: `java xx.myPackage.ClassA`

Assuming `ClassA` contains a main method

37

Access specifiers

- keywords that control access to the definitions they modify

- ◆ **public**: accessible to all other classes

- ◆ **protected**: accessible to classes derived from (subclasses of) the class containing this definition **as well as** other classes in the same package.

- ◆ **package** (unspecified, default): accessible only to other classes in the same package

- ◆ **private**: accessible only from within the class in which it is defined

38

The final keyword

- Java's final keyword has slightly different meanings depending on the context, but in general it says "This cannot be changed."

- Data

- ◆ To create named constants (primitive type):

```
public static final int VAL_THREE = 39;
```

- ◆ Use `static` so the class does not recreate it for each instance

- ◆ If you create an object that is `final`, it only means the reference cannot change, but the contents of the object itself could

```
private final Value v2 = new Value(22);
```

- ◆ Cannot assign `v2` to something else, but you could change its fields

```
v2.setValue(25);
```

39