

Inheritance & Polymorphism

Week 7

Gaddis: Chapter 15

CS 5301
Spring 2016

Jill Seaman

1

Inheritance

- A way to create a new class from an existing class
- The new class is a specialized version of the existing class
- Base class (or parent) – the existing class
- Derived class (or child) – inherits from the base class
- The derived class contains all the members from the base class (in addition to the ones in the derived class).

```
class Student {  
    . . .  
} Base class
```

```
class UnderGrad : public Student {  
    . . .  
} Derived class
```

2

Access to private members

```
class Grade  
private members:  
char letter;  
float score;  
void calcGrade();  
public members:  
void setScore(float);  
float getScore();  
char getLetter();
```

When Test class inherits from Grade class using public class access, it looks like this:

```
class Test : public Grade  
private members:  
int numQuestions;  
float pointsEach;  
int numMissed;  
public members:  
Test(int, int);
```

```
private members:  
int numQuestions;  
float pointsEach;  
int numMissed;  
public members:  
Test(int, int);  
void setScore(float);  
float getScore();  
float getLetter();
```

An instance of Test contains letter and score, but they are **not** directly accessible from inside (or outside) the Test member functions.

3

Constructors and Destructors in Base and Derived Classes

- Derived classes can have their own constructors and destructors
- When an object of a derived class is **created**,
 1. the base class's (default) constructor is executed first,
 2. followed by the derived class's constructor
- When an object of a derived class is **destroyed**,
 1. the derived class destructor is called first,
 2. then the base class destructor

4

Constructors and Destructors: example

```
class BaseClass {
public:
    BaseClass()
    { cout << "This is the BaseClass constructor.\n"; }
    ~BaseClass()
    { cout << "This is the BaseClass destructor.\n"; }
};
class DerivedClass : public BaseClass {
public:
    DerivedClass()
    { cout << "This is the DerivedClass constructor.\n"; }
    ~DerivedClass()
    { cout << "This is the DerivedClass destructor.\n"; }
};
int main() {
    cout << "We will now define a DerivedClass object.\n";
    DerivedClass object;
    cout << "The program is now going to end.\n";
}
```

Output: We will now define a DerivedClass object.
This is the BaseClass constructor.
This is the DerivedClass constructor.
The program is now going to end.
This is the DerivedClass destructor.
This is the BaseClass destructor.

5

Passing Arguments to a non-default Base Class Constructor

- Allows programmer to choose which base class constructor is called from the derived class constructor
- Specify arguments to base constructor in the derived constructor function header:

```
//assuming Square is derived from Rectangle:
Rectangle::Rectangle(double w, double len)
    { width = w; length = len; }
```

```
Square::Square(int side) : Rectangle(side, side)
    { // code for Square constr goes here, if any }
```

- You **must** specify a call to a base class constructor if base class has no default constructor

6

Redefining Base Class Functions

- Redefining function: a function in a derived class that has the same name and parameter list as a function in the base class
- Not the same as overloading – with overloading, parameter lists must be different
- Objects of base class use base class version of function; objects of derived class use derived class version of function.
- To call the base class version from the derived class version, you must prefix the name of the function with the base class name and the scope resolution operator:

```
Rectangle::display()
```

7

Redefining Base Class Functions: example

```
class Animal {
private:
    string species;
public:
    Animal() { species = "Animal"; }
    Animal(string spe)
    { species = spe ; }
    void display()
    {cout << "species " << species; }
};

int main() {
    Animal jasper; // Animal()
    Primate fred(4); // Primate(int)
    jasper.display(); cout << endl;
    fred.display(); cout << endl;
}

class Primate: public Animal {
private:
    int heartCham;
public:
    Primate() : Animal("Primate") { }
    Primate(int in) : Animal ("Primate")
    { heartCham = in; }
    void display()
    { Animal::display(); //calls base class display()
      cout << ", \n# of heart chambers " << heartCham;
    }
};
```

Output:

```
species Animal
species Primate,
# of heart chambers 4
```

8

Include Guards

```
Rectangle.h
#ifndef RECTANGLE_H
#define RECTANGLE_H
class Rectangle
{
private:
    double width;
    double length;
public:
    void setWidth(double);
    void setLength(double);
    double getWidth() const;
    double getLength() const;
    double getArea() const;
};
#endif
```

- These preprocessor directives prevent the header file from accidentally being included more than once.
- If you have a base class with 2 derived classes, and the derived classes are both included in a driver, . . .

Polymorphism

- The Greek word poly means many, and the Greek word morphism means form.
- So, polymorphism means 'many forms'.
- In object-oriented programming (OOP), polymorphism refers to
 - identically named (and redefined) functions
 - that have different behavior depending on the (specific derived) type of object that they are called on.

10

Example of polymorphism?

```
class Animal {
private:
    ...
public:
    void speak() { cout << "none "; }
};
class Cat : public Animal {
private:
    ...
public:
    void speak() { cout << "meow "; }
};
class Dog : public Animal {
private:
    ...
public:
    void speak() { cout << "bark "; }
};
```

```
void f (Animal a) {
    a.speak();
}

int main() {
    Cat c;
    Dog d;
    f(c);
    f(d);
}
```

- IF the output is "meow bark", yes, polymorphism.
 - The behavior of a in f would depend on its specific (derived) type.
- IF the output is "none none", no it's not.

11

Polymorphism in C++

- Polymorphism in C++ is supported through:
 - virtual functions AND
 - pointers to objects OR reference parameters.
- without these, C++ determines which function to invoke at compile time (using the variable type).
- when virtual functions and pointer/references are used together, C++ determines which function to invoke at run time (using the specific type of the instance currently referenced by the variable).

12

Virtual functions

- Virtual member function: function in a base class that expects to be redefined in derived class
- Function defined with key word virtual:

```
virtual void Y() {...}
```

- Supports dynamic binding: functions bound at run time to function that they call
- Without virtual member functions, C++ uses static (compile time) binding

13

Example virtual functions

```
class Animal {
public:
    virtual void speak();
    int age();
};
class Cat : public Animal
{
public:
    virtual void speak(); //redefining a virtual
    int age();           //redefining a normal function
};
int main()
{
    Cat morris;
    Animal *pA = &morris; //using a pointer to get dynamic binding
    pA -> age(); // Animal::age() is invoked (base) (not virtual)
    pA -> speak(); // Cat::speak() is invoked (derived)
    ...
}
```

14

Virtual functions

- In compile-time binding, the data type of the pointer resolves which function is invoked.
- In run-time binding, the type of the object pointed to resolves which function is invoked.

```
void f (Animal &a) {
    a.speak();
}
int main() {
    Cat c;
    Dog d;
    f(c);
    f(d);
}
```

- Assuming speak is virtual, since a is passed by reference, the output is:

```
meow bark
```

15

Heterogeneous Array version 1:

```
class COne {
public:
    void vWhoAmI() { cout << "I am One" << endl; }
};
class CTwo : public COne {
public:
    void vWhoAmI() { cout << "I am Two" << endl; }
};
class CThree : public CTwo {
public:
    void vWhoAmI() { cout << "I am Three" << endl; }
};
int main() {
{
    COne *apCOne[3] = { new COne, new CTwo, new CThree };
    for (int i = 0; i < 3; i++)
        apCOne[i] -> vWhoAmI();
}
}
```

Output:

```
I am One
I am One
I am One
```

16

Heterogeneous Array version 2:

```
class COne {
public:
    virtual void vWhoAmI() { cout << "I am One" << endl; }
};
class CTwo : public COne {
public:
    void vWhoAmI() { cout << "I am Two" << endl; }
};
class CThree : public CTwo {
public:
    void vWhoAmI() { cout << "I am Three" << endl; }
};
int main() {
{
    COne *apCOne[3] = { new COne, new CTwo, new CThree };
    for (int i = 0; i < 3; i++)
        apCOne[i] -> vWhoAmI();
}
```

Output:

```
I am One
I am Two
I am Three
```

17

Abstract classes and Pure virtual functions

- Pure virtual function: a virtual member function that **must** be overridden in a derived class.

```
virtual void Y() = 0;
```

- The = 0 indicates a pure virtual function
- Must have no function definition in the base class.

18

Abstract classes and Pure virtual functions

- Abstract base class: a class that can have no objects (instances).
- Serves as a basis for derived classes that will have objects
- A class becomes an abstract base class when one or more of its member functions is a pure virtual function.

19

Example: Abstract Class

```
class CShape {
public:
    CShape ( ) { }
    virtual void vDraw ( ) const = 0; // pure virtual function
};
```

- An abstract class may **not** be used as an argument type, as a function return type, or as the type of an explicit conversion.
- Pointers and references to an abstract class may be declared.

```
CShape CShape1; // Error: object of abstract class
CShape* pCShape; // Ok
CShape CShapeFun(); // Error: return type
void vg(CShape); // Error: argument type
```

20

Example: Abstract Class

- Pure virtual functions are inherited as pure virtual functions.

```
class CAbstractCircle : public CShape {
private:
    int m_iRadius;
public:
    void vRotate (int) {}
    // CAbstractCircle ::vDraw() is a pure virtual function
};
```

- Or else:

```
class CCircle : public CShape {
private:
    int m_iRadius;
public:
    void vRotate (int) {}
    void vDraw();    //define here or in impl file
};
```

21

Heterogeneous collection: abstract base class

```
class Animal {
private:
    string name;
public:
    Animal(string n) {name = n;}
    virtual void speak() = 0;
};
class Cat : public Animal {
public:
    Cat(string n) : Animal(n) { };
    void speak() {cout << "meow "; }
};
class Dog : public Animal {
public:
    Dog(string n) : Animal(n) { };
    void speak() {cout << "bark "; }
};
class Pig : public Animal {
public:
    Pig(string n) : Animal(n) { };
    void speak() {cout << "oink "; }
};
```

```
int main()
{
    Animal* animals[ ] = {
        new Cat("Charlie"),
        new Cat("Scamp"),
        new Dog("Penny"),
        new Cat("Libby"),
        new Cat("Patches"),
        new Dog("Milo"),
        new Pig("Wilbur") };

    for (int i=0; i< 7; i++) {
        animals[i]->speak();
    }
}
```

Output:

meow meow bark meow meow bark oink

22