

# Operator Overloading & Templates

Week 6

Gaddis: 14.5, 16.2-16.4

CS 5301  
Spring 2018

Jill Seaman

1

## Operator Overloading


- Operators such as =, +, <, ... can be defined to work for objects of a programmer-defined class
- The function names are `operator` followed by the operator symbol:  
`operator+` to define the + operator, and  
`operator=` to define the = operator
- Otherwise they are like normal member functions:
  - Prototype goes in the class declaration
  - Function definition goes in implementation file

2

## Overloaded Operator Prototype

- Prototype:

```
int operator-(const Time &right);
```



return type      function name      parameter for object on right side of operator

- Pass by constant reference

- Does NOT copy the argument as pass-by-value does
- But does not allow the function to change its value
- (so it's like pass by value without the copying).
- **optional** for overloading operators

3

## Invoking an Overloaded Operator

- Operator functions can be invoked (called) as a regular member function:  
`int minutes = object1.operator-(object2);`
- They can also be invoked using the more conventional syntax for operators:  
`int minutes = object1 - object2;`

This is the main reason to overload operators, so you can use this syntax for objects of your class
- Both call the same function `operator-`, from the perspective of `object1` (`object2` is the argument).  
4

## Example: minus for Time objects

- I decide I want `time1-time2` to be an int, equal to the number of minutes between the times.

```
class Time {  
    private:  
        int hour, minute;  
    public:  
        int operator- (const Time &right);  
};  
  
int Time::operator- (const Time &right) {  
    //Note: 12%12 = 0  
    return (hour%12)*60 + minute -  
           ((right.hour%12)*60 + right.minute);  
}  
  
//in a driver:  
Time time1(12,20), time2(4,40);  
int minutesDiff = time2 - time1;      Output: 260  
cout << minutesDiff << endl;
```

Subtraction

5

## Overloading + for Time

```
class Time {  
    private:  
        int hour, minute;  
    public:  
        Time operator+ (Time right);  
};  
Time Time::operator+ (Time right) { //Note: 12%12 = 0  
    int totalMin = (hour%12)*60 + (right.hour%12)*60  
              + minute + right.minute;  
    int h = totalMin / 60;  
    h = h%12;          //keep it between 0 and 11  
    if (h==0) h = 12;  //convert 0:xx to 12:xx  
    Time result(h, totalMin % 60);  
    return result;  
}  
//in a driver:  
Time t1(12,5);  
Time t2(2,50);  
Time t3 = t1+t2;  
t3.display();
```

Output: 2:55

6

## Overloading == and < for Time

```
bool Time::operator== (Time right) {  
    if (hour == right.hour &&  
        minute == right.minute)  
        return true;  
    else  
        return false;  
}  
  
bool Time::operator< (Time right) {  
    if (hour == right.hour)  
        return (minute < right.minute);  
    return (hour%12) < (right.hour%12);  
}  
  
//in a driver:  
Time time1(12,20), time2(12,21);  
if (time1<time2) cout << "correct" << endl;  
if (time1==time2) cout << "correct again" << endl;
```

7

## Templates: Type independence

- Many functions, like finding the maximum of an array, do not depend on the data type of the elements.
- We would like to re-use the same code regardless of the item type...
- without** having to maintain duplicate copies:
  - `maxIntArray (int a[]; int size)`
  - `maxFloatArray (float a[]; int size)`
  - `maxCharArray (char a[]; int size)`

8

## Generic programming

- Writing functions and classes that are type-independent is called generic programming.
- These functions and classes will have one (or more) extra parameter to represent the specific type of the components.
- When the stand-alone function is called the programmer provides the specific type:

```
max<string>(array, size);
```

9

## Example function template swap

```
template <class T>
void mySwap (T &lhs, T &rhs) {
    T tmp = lhs;
    lhs = rhs;
    rhs = tmp;
}
int main() {
    int x = 5;
    int y = 7;
    string a = "hello";
    string b = "there";
    mySwap <int> (x, y);      //int replaces T
    mySwap <string> (a, b); //string replaces T
    cout << x << " " << y << endl;
    cout << a << " " << b << endl;
}
```

Output:  
7 5  
there hello

11

## Templates

- C++ provides templates to implement generic stand-alone functions and classes.
- A function template is not a function, it is a design or pattern for a function.
- The function template makes a function when the compiler encounters a call to the function.
  - Like a macro, it substitutes appropriate type

10

## Notes about C++ templates

- The template prefix: template <class T>
  - class is a keyword. You could also use typename: template <typename T>
- T is the parameter name. You can call it whatever you like.
  - it is often capitalized (because it is a type)
  - names like T and U are often used
- The parameter name (T in this case) can be replaced ONLY by a type.

12

## Example class template

vector: class decl

```
// A vector is like an array, with range checking on subscripts

template <class T>
class SimpleVector {
private:
    T *aptr;           // To point to the allocated array
    int arraySize;     // Number of elements in the array
public:
    SimpleVector()      { aptr = NULL; arraySize = 0; }
    SimpleVector(int s, T item);
    SimpleVector(const SimpleVector &obj);
    ~SimpleVector();
    int size() const    { return arraySize; }
    T getElement(int position);
    void setElement(int position, T item);
};
```

Note: not ALL types  
should be replaced by  
the type variable T

13

## Example class template

constructor, copy constructor

```
template <class T>
SimpleVector<T>::SimpleVector(int s, T item) {
    arraySize = s;
    if (arraySize > 0)
        aptr = new T [s];
    for (int count = 0; count < arraySize; count++)
        *(aptr + count) = item;
}

template <class T>
SimpleVector<T>::SimpleVector(const SimpleVector &obj) {
    arraySize = obj.arraySize;
    if (arraySize > 0)
        aptr = new T [arraySize];
    for (int count = 0; count < arraySize; count++)
        *(aptr + count) = *(obj.aptr + count);
}
```

14

## Example class template

destructor, getElement, setElement

```
template <class T>
SimpleVector<T>::~SimpleVector() {
    if (arraySize > 0)
        delete [] aptr;
}

template <class T>
T SimpleVector<T>::getElement(int position){
    assert (0 <= position && position < arraySize);
    return aptr[position];
}

template <class T>
void SimpleVector<T>::setElement(int position, T item) {
    assert (0 <= position && position < arraySize);
    aptr[position] = item;
}
```

assert(e): if e is false, it causes the  
execution of the program to stop (exit).  
Requires #include<cassert>

15

## Example class template

using vector

```
int main() {
    SimpleVector<string> strV(2, "");
    strV.setElement(0, "one");
    strV.setElement(1, "two");
    SimpleVector<int> intV(2, 0);
    intV.setElement(0, 1);
    intV.setElement(1, 2);
    for (int i=0; i<2; i++) {
        cout << strV.getElement(i) << endl;
        cout << intV.getElement(i) << endl;
    }
}
Output:
one
1
two
2
```

16

## Class Templates and .h files

- Template classes cannot be compiled separately
  - When a file using (instantiating) a template class is compiled, it requires the **complete** definition of the template, including the function definitions.
  - Therefore, for a class template, the class declaration AND function definitions must go in the header file.
  - It is still good practice to define the functions outside of (after) the class declaration.

17

## SimpleVector Modification

Add these functions to SimpleVector:

- `push_back()` Accepts as an argument a value to be inserted after the last element. (Pushed onto the back of the vector). Makes aprt array bigger.
- `pop_back()` Removes the last element from the vector. Makes aprt array smaller.
- Hint: both of these operations require allocating a new array of a different size and copying elements from the old array to the new one.

18